


● BALANCE WEIGHTS & COMPOUNDS



REMA TIP TOP //

| | |
|--|-----|
| Balance Weights Motorcycle | 150 |
| Balance Weights Car | 151 |
| Balance Weights Car & Balance Weights, Light Truck | 155 |
| Balance Weights, Heavy Truck | 156 |
| Balance Weights Truck | 157 |
| Balancing Compounds | 158 |
| Equal Flexx | 159 |
| Tools And Accessories For Balancing | 160 |

BALANCE WEIGHTS

Balance Weights Motorcycle

Spoke weights (lead)



PREMIUM-LINE

- Compensating static imbalance

| Ref. No. | Description | Weight | Contents |
|----------|--------------|--------|----------|
| 204832 | Spoke weight | 10 g | 25 |
| 204833 | Spoke weight | 15 g | 25 |
| 204834 | Spoke weight | 20 g | 25 |
| 204835 | Spoke weight | 25 g | 25 |



204832

Clip on weights (lead)



PREMIUM-LINE

- Compensating static imbalance

| Ref. No. | Description | Weight | Contents |
|----------|----------------|--------|----------|
| 204822 | Clip on weight | 10 g | 25 |
| 204823 | Clip on weight | 15 g | 25 |
| 204824 | Clip on weight | 20 g | 25 |
| 204825 | Clip on weight | 25 g | 25 |



204824

Balance Weights, Car

Adhesive weights (steel)



STANDARD LINE

- Blue tape
- Uncoated

| Ref. No. | Description | Optimum temperature range | Size | Weight | Segments | Contents |
|----------|----------------------|---------------------------|-----------------------|--------|-----------------|------------|
| 504899 | Adhesive weight 5/10 | 16 to 150 °C | 19 mm (W) 4 mm (H) | 60 g | 4x5 g 4x10 g | 100 strips |



504899

BALANCE WEIGHTS

Balance Weights Car

Roll



504960

| Ref. No. | Description | Optimum temperature range | Segments | Contents |
|----------|--|---------------------------|----------|----------|
| 504960 | Adhesive weight roll 5g segments (steel) | 16 to 150 °C | 25 | 6 kg |

Adhesive weights (steel) - continued



PREMIUM LINE

• Blue tape

• Coated



504883



504640



504635



504615

| Ref. No. | Description | Optimum temperature range | Size | Weight | Segments | Contents |
|----------|---|---------------------------|-------------------------|--------|-----------------|-----------|
| 504883 | Adhesive weight 5/10 g | 16 to 150 °C | 20 mm (W) 3.8 mm (H) | 60 g | 4x5 g 4x10 g | 50 strips |
| 504640 | Adhesive ww 5/10 g black | 16 to 150 °C | 20 mm (W) 3.8 mm (H) | 60 g | 4x5 g 4x10 g | 50 strips |
| 504635 | Adhesive weight 5/10 g black | 16 to 150 °C | 19 mm (W) 4 mm (H) | 60 g | 4x5 g 4x10 g | 50 strips |
| 504615 | Adhesive ww 5/10 g Coated Lohmann Tape for cold conditions | -10 to 150 °C | 20 mm (W) 3.8 mm (H) | 60 g | 4x5 g 4x10 g | 50 strips |

BALANCE WEIGHTS

Balance Weights Car

Adhesive weights (lead)



STANDARD LINE
• White tape

• Uncoated



204876



204878



504882



504881

| Ref. No. | Description | Optimum temperature range | Size | Weight | Segments | Contents |
|----------|-----------------------------|---------------------------|--------------------------|--------|-----------------|------------|
| 204876 | Adhesive weight 10 g thin | 16 to 90 °C | 18 mm (W) 3.2 mm (H) | 70 g | 7x10 g | 15 strips |
| 204877 | Adhesive weight 15 g std | 16 to 90 °C | 18 mm (W) 5.6 mm (H) | 105 g | 7x15 g | 11 strips |
| 204878 | Adhesive weight 10 g narrow | 16 to 90 °C | 12 mm (W) 5.25 mm (H) | 70 g | 7x10 g | 15 strips |
| 504882 | Adhesive weight 5/10 g thin | 16 to 150 °C | 19 mm (W) 3.8 mm (H) | 60 g | 4x5 g 4x10 g | 100 strips |
| 504881 | Adhesive weight 5/10 std | 16 to 150 °C | 15 mm (W) 4.8 mm (H) | 60 g | 4x5 g 4x10 g | 100 strips |

BALANCE WEIGHTS

Balance Weights Car

Clip on weights, Steel rim style (lead)



STANDARD-LINE

- Universal – steel rims

| Ref. No. | Description | Weight | Contents |
|----------|--------------|-----------|----------|
| 204801 | Wheel weight | 5 g | 100 |
| 204802 | Wheel weight | 10 g | 100 |
| 204803 | Wheel weight | 15 g | 100 |
| 204805 | Wheel weight | 20 g | 100 |
| 204806 | Wheel weight | 25 g | 100 |
| 204807 | Wheel weight | 30 g | 100 |
| 204808 | Wheel weight | 35 g | 100 |
| 204804 | Wheel weight | 40 g | 100 |
| 204809 | Wheel weight | 45 g | 100 |
| 204810 | Wheel weight | 50 g | 100 |
| 204811 | Wheel weight | 55 g | 100 |
| 204812 | Wheel weight | 60 g | 100 |
| 204813 | Wheel weight | 70 g | 50 |
| 204815 | Wheel weight | 80 g | 50 |
| 204817 | Wheel weight | 100 g | 50 |
| 204819 | Wheel weight | mixed bag | 100 |



204804

BALANCE WEIGHTS

Balance Weights Car

Clip on weights, Alloy rim style (MAG) (lead)



STANDARD-LINE

• Universal – alloy wheels

| Ref. No. | Description | Weight | Contents |
|----------|------------------|--------|----------|
| 504505 | Wheel weight Mag | 5 g | 100 |
| 204838 | Wheel weight Mag | 10 g | 100 |
| 204840 | Wheel weight Mag | 15 g | 100 |
| 204842 | Wheel weight Mag | 20 g | 100 |
| 204843 | Wheel weight Mag | 25 g | 100 |
| 204844 | Wheel weight Mag | 30 g | 100 |
| 204845 | Wheel weight Mag | 35 g | 100 |
| 204846 | Wheel weight Mag | 40 g | 100 |
| 204847 | Wheel weight Mag | 45 g | 100 |
| 204848 | Wheel weight Mag | 50 g | 100 |
| 204850 | Wheel weight Mag | 60 g | 100 |
| 204859 | Wheel weight Mag | mixed | 100 |



504505



204843

Clip on weights, Alloy rim style (FN) (lead)



STANDARD-LINE

• Japanese vehicles-alloy wheels

| Ref. No. | Description | Weight | Contents |
|----------|-----------------|--------|----------|
| 204894 | Wheel weight FN | 5g | 100 |
| 204880 | Wheel weight FN | 10 g | 100 |
| 204881 | Wheel weight FN | 15 g | 100 |
| 204882 | Wheel weight FN | 20 g | 100 |
| 204891 | Wheel weight FN | 25 g | 100 |
| 204883 | Wheel weight FN | 30 g | 100 |
| 204892 | Wheel weight FN | 35 g | 100 |



204882

BALANCE WEIGHTS

Balance Weights Car & Balance Weights, Light Truck

Clip on weights, Alloy rim style (FN) (lead) - continued

| Ref. No. | Description | Weight | Contents |
|----------|-----------------|-----------|----------|
| 204884 | Wheel weight FN | 40 g | 100 |
| 204893 | Wheel weight FN | 45 g | 100 |
| 204885 | Wheel weight FN | 50 g | 100 |
| 204887 | Wheel weight FN | 55 g | 100 |
| 204890 | Wheel weight FN | mixed bag | 100 |

Balance Weights, Light Truck

Clip on wheel weights, Steel rim style (lead)



STANDARD LINE

- Suits light trucks with tube-type tyres

- 2 piece steel rims
- Uncoated

| Ref. No. | Description | Weight | Contents |
|----------|--------------------|--------|----------|
| 204928 | Balance weight L/T | 30 g | 25 |
| 204930 | Balance weight L/T | 55 g | 25 |
| 204932 | Balance weight L/T | 85 g | 25 |
| 204934 | Balance weight L/T | 110 g | 25 |
| 204936 | Balance weight L/T | 140 g | 25 |
| 204938 | Balance weight L/T | 170 g | 25 |



4

Steel rim, Toyota style (lead)



STANDARD LINE

- Suits light truck 1 piece steel rims

- Toyota, Landrover
- Uncoated

| Ref. No. | Description | Weight | Contents |
|----------|---------------------------|-----------|----------|
| 204826 | Balance weight L/T Toyota | 30 g | 50 |
| 204827 | Balance weight L/T Toyota | 50 g | 50 |
| 204828 | Balance weight L/T Toyota | 70 g | 50 |
| 204829 | Balance weight L/T Toyota | 100 g | 50 |
| 204830 | Balance weight L/T Toyota | 120 g | 50 |
| 204821 | Balance weight L/T Toyota | mixed bag | 50 |



BALANCE WEIGHTS

Balance Weights, Heavy Truck

Clip on wheel weights - Truck




Steel split rims (lead)

STANDARD LINE

- Trucks with tube-type tyres - steel 2 & 3 piece rims
- Uncoated

| Ref. No. | Description | Weight | Contents |
|----------|--------------------|--------|----------|
| 204960 | Balance weight H/T | 56 g | 10 |
| 204962 | Balance weight H/T | 113 g | 10 |
| 204964 | Balance weight H/T | 170 g | 10 |
| 204966 | Balance weight H/T | 227 g | 10 |
| 204968 | Balance weight H/T | 283 g | 10 |
| 204970 | Balance weight H/T | 340 g | 10 |



204966

Steel tubeless rims (lead)



- Trucks with tubeless steel rims
- Uncoated

| Ref. No. | Description | Weight | Contents |
|----------|--------------------|--------|----------|
| 504860 | Balance weight T/L | 50 g | 10 |
| 504861 | Balance weight T/L | 75 g | 10 |
| 504862 | Balance weight T/L | 100 g | 10 |
| 504864 | Balance weight T/L | 150 g | 10 |
| 504866 | Balance weight T/L | 200 g | 10 |
| 504868 | Balance weight T/L | 250 g | 10 |
| 504870 | Balance weight T/L | 300 g | 10 |



504862

HATCO

- Trucks with tubeless steel rims

| Ref. No. | Description | Weight | Contents |
|----------|--------------------|--------|----------|
| 505860 | Balance weight T/L | 50 g | 10 |
| 505861 | Balance weight T/L | 75 g | 10 |
| 505862 | Balance weight T/L | 100 g | 10 |
| 505864 | Balance weight T/L | 150 g | 10 |
| 505866 | Balance weight T/L | 200 g | 10 |
| 505868 | Balance weight T/L | 250 g | 10 |
| 505870 | Balance weight T/L | 300 g | 10 |

BALANCE WEIGHTS

Balance Weights Truck

Adhesive weights - Truck (lead)



PREMIUM LINE



504920



504986



504988

| Ref. No. | Description | Optimum temperature range | Size | Weight | Segments | Contents |
|----------|---------------------|---------------------------|------------------------|--------|----------|-----------|
| 504910 | Adhesive weight O44 | 16 to 150 °C | | 100 g | | 20 strips |
| 504915 | Adhesive weight O44 | 16 to 150 °C | | 125 g | | 20 strips |
| 504920 | Adhesive weight O44 | 16 to 150 °C | | 150 g | | 20 strips |
| 504986 | Adhesive weight VWW | 16 to 150 °C | 16 mm (W) 5 mm (H) | 100 g | 4x25 g | 10 strips |
| 504988 | Adhesive weight VWW | 16 to 150 °C | 20 mm (W) 10 mm (H) | 200 g | 4x50 g | 10 strips |

STANDARD LINE
• Australian made

4



504890



504898

| Ref. No. | Description | Optimum temperature range | Size | Weight | Segments | Contents |
|----------|----------------------|---------------------------|-----------------------|--------|----------|----------|
| 504890 | Adhesive weight thin | 16 to 150 °C | 25 mm (W) 9 mm (H) | 200 g | 4x50 g | 5 |
| 504898 | Adhesive weight | 16 to 150 °C | | 100 g | 4x25 g | 8 |

BALANCE WEIGHTS & COMPOUNDS

Balancing Compounds

EQUAL FLEXX



- Dry granular polymer, developed for application in truck and bus tyres
- Works for the life of the tyre
- Less vibrations for a smoother ride
- Damped-down tyre movements reduce tread wear

- Longer tread life decreases costs per kilometer
- Continuous balance eliminates rebalancing
- Granules and material do not cause abrasion inside the tyre
- Less vibration improves fuel economy



For package sizes please refer to the Application Chart.

| Ref. No. | Description | Weight |
|----------|---------------|--------|
| 5660300 | Equal Flexx A | 340 g |
| 5660310 | Equal Flexx B | 280 g |
| 5660320 | Equal Flexx C | 230 g |
| 5660330 | Equal Flexx D | 170 g |
| 5660340 | Equal Flexx E | 115 g |
| 5660350 | Equal Flexx F | 85 g |



- Dampens vibration forces
- Reduces forces in footprint area
- Acts as a mass balancer
- Adapts to changing operating conditions

- Responds to tyre/wheel and road force irregularities
- Proven in the laboratory and field to reduce force variation levels

BALANCE BEADS

| Ref. No. | Description | Contents |
|----------|-------------------|----------|
| 140204 | Balance Bead BB4 | 120 g |
| 140206 | Balance Bead BB6 | 180 g |
| 140208 | Balance Bead BB8 | 240 g |
| 140210 | Balance Bead BB10 | 300 g |
| 140212 | Balance Bead BB12 | 360 g |



- Similar application to powder compounds but in a hard glass bead.

- Lower performance than powder compounds.

BALANCE WEIGHTS & COMPOUNDS

Equal Flexx

EQUAL FLEXX- Application chart



Light Truck

16", 16.5", 17", 18"
marked "C" or "LT"

Truck incl. sizes for Multi-Purpose-Vehicles

| Tyre Size | Single | Dual |
|------------|--------|------|
| 6.50 R16 | F | F |
| 7.50 R16 | F | F |
| 9.00 R16 | E | E |
| 11.00 R16 | C | C |
| 205/55 R16 | F | F |
| 195/60 R16 | F | F |
| 205/60 R16 | F | F |
| 225/60 R16 | F | F |
| 195/65 R16 | F | F |
| 205/65 R16 | F | F |
| 215/65 R16 | F | F |
| 225/65 R16 | F | F |
| 235/65 R16 | E | E |
| 305/70 R16 | D | D |
| 175/75 R16 | F | F |
| 185/75 R16 | F | F |
| 195/75 R16 | F | F |
| 205/75 R16 | F | F |
| 215/75 R16 | F | F |
| 225/75 R16 | F | F |
| 235/75 R16 | E | E |
| 245/75 R16 | E | E |
| 265/75 R16 | E | E |
| 285/75 R16 | D | D |
| 295/75 R16 | D | D |
| 315/75 R16 | C | C |
| 215/85 R16 | F | F |
| 225/85 R16 | E | E |
| 235/85 R16 | E | E |
| 245/85 R16 | E | E |
| 255/85 R16 | D | D |
| 265/85 R16 | D | D |
| 305/85 R16 | C | C |
| 255/55 R17 | F | F |
| 215/60 R17 | F | F |
| 245/70 R17 | E | E |
| 265/70 R17 | E | E |
| 275/70 R17 | E | E |
| 285/70 R17 | D | D |
| 315/70 R17 | D | D |
| 245/75 R17 | E | E |
| 235/80 R17 | E | E |
| 275/65 R18 | D | D |
| 245/70 R18 | D | D |

| Tyre Size | Single | Dual |
|--------------|--------|------|
| 255/85 R16 | E | E |
| 315/55 R16 | C | C |
| 315/75 R16 | C | C |
| 8 R17.5 | E | E |
| 8.5 R17.5 | E | E |
| 9 R17.5 | D | D |
| 9.5 R17.5 | D | D |
| 10 R17.5 | C | C |
| 195/60 R17.5 | F | F |
| 205/60 R17.5 | F | F |
| 225/60 R17.5 | E | E |
| 205/65 R17.5 | F | F |
| 195/70 R17.5 | F | F |
| 215/70 R17.5 | E | E |
| 235/70 R17.5 | E | E |
| 245/70 R17.5 | E | E |
| 265/70 R17.5 | D | D |
| 315/70 R17.5 | C | C |
| 205/75 R17.5 | E | E |
| 215/75 R17.5 | E | E |
| 225/75 R17.5 | E | E |
| 235/75 R17.5 | D | D |
| 245/75 R17.5 | D | D |
| 205/80 R17.5 | E | E |
| 225/80 R17.5 | E | E |
| 315/80 R17.5 | B | B |
| 225/90 R17.5 | D | D |
| 8 R19.5 | D | D |
| 9 R19.5 | D | D |
| 9.5 R19.5 | C | C |
| 385/55 R19.5 | A | |
| 255/60 R19.5 | D | |
| 385/65 R19.5 | A | |
| 225/70 R19.5 | D | C |
| 245/70 R19.5 | D | C |
| 265/70 R19.5 | D | C |
| 275/70 R19.5 | C | B |
| 285/70 R19.5 | C | B |
| 295/70 R19.5 | C | B |
| 305/70 R19.5 | B | A |
| 315/70 R19.5 | B | A |
| 10.5 R20 | B | A |
| 12.5 R20 | A | A |
| 14.5 R20 | A+E | |
| 405/70 R20 | A+E | |
| 375/75 R20 | A+E | |

| Tyre Size | Single | Dual |
|--------------|-----------------------------------|------|
| 425/75 R20 | A+D | |
| 275/80 R20 | B | A |
| 335/80 R20 | A | |
| 475/80 R20 | A+A | |
| 365/85 R20 | A+E | |
| 395/85 R20 | A+D | |
| 24 R20.5 | B | |
| 11 R22.5 | B | A |
| 12 R22.5 | A | A |
| 13 R22.5 | A | A |
| 455/40 R22.5 | B+E | |
| 435/45 R22.5 | B+E | |
| 455/45 R22.5 | B+E | |
| 495/45 R22.5 | A+D | |
| 275/50 R22.5 | B | A |
| 435/50 R22.5 | A+E | |
| 445/50 R22.5 | A+E | |
| 455/50 R22.5 | A+E | |
| 355/50 R22.5 | A | |
| 385/55 R22.5 | A | |
| 285/60 R22.5 | B | A |
| 295/60 R22.5 | B | A |
| 305/60 R22.5 | B | A |
| 315/60 R22.5 | B | A |
| 500/60 R22.5 | A+A | |
| 385/65 R22.5 | A (normal) A+E (heavy duty) | |
| 425/65 R22.5 | A+D | |
| 445/65 R22.5 | A+D | |
| 255/70 R22.5 | C | B |
| 265/70 R22.5 | C | B |
| 275/70 R22.5 | B | A |
| 305/70 R22.5 | B | A |
| 315/70 R22.5 | B | A |
| 315/75 R22.5 | A | A |
| 345/75 R22.5 | A | |
| 350/75 R22.5 | B+E | |
| 445/75 R22.5 | B+B | |
| 255/80 R22.5 | C | B |
| 275/80 R22.5 | B | A |
| 295/80 R22.5 | A | A |
| 315/80 R22.5 | A | A |
| 405/70 R24 | B+B | |
| 445/70 R24 | A+B | |
| 495/70 R24 | A+A | |
| 455/70 R24 | A+A | |

A = 12 oz (340 g), B = 10 oz (280 g)
C = 8 oz (230 g), D = 6 oz (170 g)
E = 4 oz (115 g), F = 3 oz (85 g)

For tyre sizes not listed in this chart please contact your supplier or refer to www.equalchart.com



BALANCE WEIGHTS & COMPOUND Tools And Accessories For Balancing

Cleaning

- Highly efficient rim cleaner
- Environmentally friendly

- Ideal for surface preparation for stick on weights



204504



204506



204506

| Ref. No. | Description | Size |
|----------|--|--|
| 204504 | XACT Cleaner | 950 ml |
| 204506 | XACT Cleaner | 19 litre |
| 204996 | Wheel weight pre-prep cleaner <ul style="list-style-type: none"> • Provides clean surface to apply adhesive weights • Fast drying and leaves no surface residue • More effective than citrus based cleaners • Safer to use than brake cleaners | <ul style="list-style-type: none"> • For use on all wheel finished • Cleans in seconds • Works in both warm and cold conditions • Only a few drops are required to clean most wheels |

Tools for balancing

- For mounting, removal and relocating balance weights on the rim

- For expanding and compressing of weights clips



104910



104905



170105



104913

| Ref. No. | Description |
|----------|----------------------------------|
| 104910 | Wheel weight adhesive remover |
| 104905 | Wheel weight pliers, 425 premium |
| 170105 | Wheel weight pliers, standard |
| 104913 | Adhesive weight cutter |