


● VALVES AND VALVE ACCESSORIES



REMA TIP TOP

Tube Valves	120
Tubeless Valves	120
Earthmover Valving (LB / SLB)	128
Tank Valves	134
Valve Cores	134
Valve Extensions and Holders	135
Valve Caps	138
Valve Tools	141
TPMS Valves	144




VALVES AND VALVE ACCESSORIES

Tube Valves & Tubeless Valves

Screw-on valves VG12

- For tubes of older design



Ref. No.	Description	Length	TR No.	Contents			
5622012	Screw-on valve, single bend	75 mm	1075 A	each	▪	▪	
5622067	Screw-on valve, single bend	127 mm	1078 A	each	▪	▪	
5622081	Screw-on valve, single bend	140 mm	1179 A	each	▪	▪	
Accessories:							
5628401	Michelin Adaptor V-5010			each	▪		▪

Tubeless Valves

Snap-in valves, motor cycle



Ref. No.	Description	Rim hole	Bending angle	Contents
5010089	Snap-in valve, brass with soft plastic cap.	11.3 mm	90°	each

Snap-in valves, chrome sleeve



Ref. No.	Description	Rim hole	Length	Max. pressure	TR No.	ETRNo.
5622645	Snap-in valve with chrome sleeve and cap	11.3 mm	33 mm	4.5 bar	412	V2-03-16

VALVES AND VALVE ACCESSORIES

Tubeless Valves

Snap-in valves - car



TR412



TR413



TR415



TR418

Ref. No.	TR No.	Description	Rim hole	Length	Max. pressure	ETRTO No.
5622641	TR 412	with plastic cap	11.3 mm	33 mm	4.5 bar	V2-03-6
413NCCL	TR 413	no cap and core unfitted	11.3 mm	43 mm	4.5 bar	V2-03-1
413NCOE	TR 413	no cap wonder and core unfitted	11.3 mm	43 mm	4.5 bar	V2-03-1
413NC	TR 413	no cap, core fitted	11.3 mm	43 mm	4.5 bar	V2-03-1
5622628	TR 413	with plastic cap and core unfitted	11.3 mm	43 mm	4.5 bar	V2-03-1
56226270E	TR 413	with plastic cap - wonder, core unfitted	11.3 mm	43 mm	4.5 bar	V2-03-1
5622627	TR 413	with plastic cap, core fitted	11.3 mm	43 mm	4.5 bar	V2-03-1
5622630	TR 413	with metal cap and core unfitted	11.3 mm	43 mm	4.5 bar	V2-03-1
1561390E	TR 413	with metal cap wonder, core unfitted	11.3 mm	43 mm	4.5 bar	V2-03-1
156139	TR 413	with metal cap, core fitted	11.3 mm	43 mm	4.5 bar	V2-03-1
415NC	TR 415	no cap	16 mm	43 mm	4.5 bar	V2-03-3
5622634	TR 415	with plastic cap	16 mm	43 mm	4.5 bar	V2-03-3
5622636	TR 415	with hard plastic cap	16 mm	43 mm	4.5 bar	V2-03-3
5622638	TR 415	with metal cap	16 mm	43 mm	4.5 bar	V2-03-3
418NC	TR 418	no cap	11.3 mm	61.5 mm	4.5 bar	V2-03-4
5622561	TR 418	with soft plastic cap and core unfitted	11.3 mm	61.5 mm	4.5 bar	V2-03-4
56225620E	TR 418	with plastic cap wonder	11.3 mm	61.5 mm	4.5 bar	V2-03-4
5622562	TR 418	with soft plastic cap	11.3 mm	61.5 mm	4.5 bar	V2-03-4
5622570	TR 418	with metal cap and core unfitted	11.3 mm	61.5 mm	4.5 bar	V2-03-4
5622566	TR 418	with metal cap, , core fitted	11.3 mm	61.5 mm	4.5 bar	V2-03-4
56225660E	TR 418	with metal cap wonder, core unfitted	11.3 mm	61.5 mm	4.5 bar	V2-03-4

VALVES AND VALVE ACCESSORIES

Tubeless Valves

Snap-in valves with metal base, high pressure - light truck



Ref. No.	Description	TR No.	Rim hole	Length	Maximum pressure	ETRTO No.
160214	Snap-in valve	TR600HP	11.3 mm	43 mm	14 bar	V3-23-1
156411	Snap-in valve	TR602HP	11.3 mm	61.5 mm	14 bar	V2-03-4



Clamp in metal valves - car & motor cycle



Ref. No.	Description	Rim hole	Length	Bending angle
5621013	Metal valve motorcycle V-511 MS	8.3 mm	34 mm	0°
5622603	Metal valve motorcycle V-520 MS	8.3 mm	33 mm	0°
5622608	Metal valve W1350 TR416	11.3 mm	42 mm	0°
160204	Metal valve HP Chrome ROH	11.3 mm	33 mm	0°
160202	Metal valve HP Chrome	11.3 / 16 mm	34 mm	0°
156079	Metal valve V-515 MS no-show Short	11.3 / 16 mm	33 mm	0°
160203	Metal valve no-show 6 mm Chrome	8.3 mm	37 mm	0°
160213	Metal valve no-show 6 mm Chrome	8.3 mm	80 mm	90°
160208	Metal valve no-show - X-Short Chrome	11.3 mm	32 mm	0°
160205	Metal valve no-show Chrome	11.3 mm	39 mm	0°
160206	Metal valve no-show - Long Chrome	11.3 mm	44 mm	0°
160207	Metal valve no-show Chrome	11.3 mm	54 mm	45°
160209	Metal valve no-show Chrome	11.3 mm	54 mm	90°

VALVES AND VALVE ACCESSORIES

Tubeless Valves

Hidden valves



- These valves improve the aesthetic impression and the design of the rim
- The valve is protected by its special construction against pressure loss, sabotage, contamination and tearing off

Ref. No.	Description	Rim hole
160228	Invisible valve kit Includes: <ul style="list-style-type: none"> • 4 Valves with screw cap • 2 Spare caps • 1 Removable valve stem inflator Accessories:	11.3 mm
160229	Removable valve stem inflator For use with: <ul style="list-style-type: none"> • Invisible valve kit (160228) 	



160228

Metal valves, Truck nickel-plated, for American style Alcoa alloy rims

3



156148



156165, 156169,
156163



156147, 156152,
156142, 156342,
156154



156149



156164

Ref. No.	Description	TR No.	Rim hole	Installation torque	Bending angle
156148	Metal valve, 32 MS	TR 542	9.7 mm	9 - 14 Nm	0°
156165	Metal valve, 59 MS	TR 543	9.7 mm	9 - 14 Nm	0°
156149	Metal valve, 59 MS	TR 543 C	9.7 mm	9 - 14 Nm	45°
156147	Metal valve, 59 MS	TR 543 D	9.7 mm	9 - 14 Nm	60°
156169	Metal valve, 64 MS	TR 544	9.7 mm	9 - 14 Nm	0°
156152	Metal valve, 75 MS	TR 544 D	9.7 mm	9 - 14 Nm	60°
156160	Metal valve, 90 MS	TR 544 C	9.7 mm	9 - 14 Nm	45°
156164	Metal valve, 90 MS	TR 545 C	9.7 mm	9 - 14 Nm	45°

VALVES AND VALVE ACCESSORIES

Tubeless Valves

Metal valves, Truck nickel-plated, for American style Alcoa alloy rims - continued



156162



156170



156171



156172



156173



156174

Ref. No.	Description	TR No.	Rim hole	Installation torque	Bending angle
156162	Metal valve, 90 MS	TR 545 E	9.7 mm	9 - 14 Nm	75°
156142	Metal valve, 91 MS	TR 545 D	9.7 mm	9 - 14 Nm	60°
156163	Metal valve, 97 MS	TR 546	9.7 mm	9 - 14 Nm	0°
156342	Metal valve, 97 MS	TR 546 D	9.7 mm	9 - 14 Nm	60°
156154	Metal valve, 102 MS	TR 547 D	9.7 mm	9 - 14 Nm	60°
156170	Metal valve, 59 MS	TR 553C	9.7 mm	3 - 5nm	45°
156171	Metal valve, 59 MS	TR 553E	9.7 mm	4 - 5nm	75°
156172	Metal valve, 75 MS	TR 554D	9.7 mm	5 - 5nm	60°
156173	Metal valve, 90 MS	TR 555D	9.7 mm	6 - 5nm	60°
156174	Metal valve, 90 MS	TR 555E	9.7 mm	7 - 5nm	75°

Metal valves, Truck nickel-plated, for European style Alcoa alloy rims



156176



156177



156141



156167



5626830

Ref. No.	Description	Rim hole	Installation torque	Bending angle	ETRTO No.
156176	Metal valve, 40 MS	9.7 mm	8 - 5 Nm	0°	
156177	Metal valve, 54 MS	9.7 mm	9 - 5 Nm	0°	
156141	Metal valve, 70 MS	9.7 mm	3 - 5 Nm	7°	n/a
156167	Metal valve, 60 MS	9.7 mm	12 - 15 Nm	27°	n/a
5626830	Metal valve, 70 MS	9.7 mm	12 - 15 Nm	27°	V3-20-5

VALVES AND VALVE ACCESSORIES

Tubeless Valves

Metal valves, Truck for European steel wheels



156146



156145



156150



156272



156270
156271
156274



156275



5626829
156266



156273
156268
156161



156276

3

Ref. No.	Description	Rim hole	Installation torque	Bending angle	ETRTO No.
156146	Metal valve, V-8135 LU	9.7 mm	13 - 15 Nm	45°	V3-22-1
156145	Metal valve, V-8135 L-NI	9.7 mm	13 - 15 Nm	45°	V3-22-1
156272	Metal valve, V-8102, 41 MS	9.7 mm	13 - 15 Nm	0°	V3-20-1
156161	Metal valve, 70 MS	9.7 mm	13 - 15 Nm	27°	V3-20-5
156270	Metal valve, V-8108, 80 MS	9.7 mm	13 - 15 Nm	0°	n/a
5626829	Metal valve, V-8138, 80 MS	9.7 mm	13 - 15 Nm	27°	V3-20-10
156271	Metal valve, V-8110, 90 MS	9.7 mm	13 - 15 Nm	0°	V3-20-3
156266	Metal valve, V-8140, 90 MS	9.7 mm	13 - 15 Nm	27°	V3-20-4
156273	Metal valve, V-8141, 97 MS	9.7 mm	13 - 15 Nm	27°	V3-20-2
156275	Metal valve, V-8113, 102 MS	9.7 mm	13 - 15 Nm	27°	V3-20-11
156150	Metal valve, V-8183, 102 MS	9.7 mm	13 - 15 Nm	27° double bend	V3-20-11
156276	Metal valve, V-8143A, 102 MS	9.7 mm	13 - 15 Nm	27°	V3-20-12
156268	Metal valve, V-8145, 115 MS	9.7 mm	13 - 15 Nm	27°	V3-20-6
156274	Metal valve, V-8111, 97 MS	9.7 mm	13 - 15 Nm	0°	V3-20-2

VALVES AND VALVE ACCESSORIES

Tubeless Valves

Metal valves, Truck standard, for American style steel wheels



5635016, 156250



170120



156153



5635023, 5635030, 156262,
5635054, 5635057

Ref. No.	Description	TR No.	Rim hole	Installation torque	ETRTO No.
5635016	Metal valve, 54 MS	TR 500	16 mm	4 - 6 Nm	V3-21-3
156250	Metal valve, 42 MS	TR 501	16 mm	4 - 6 Nm	V3-21-2
170120	Metal valve V-8717 NI	TR 510	16 mm	4 - 6 Nm	
156153	Metal valve V-8738 NI	TR 515	16 mm	4 - 6 Nm	
5635023	Metal valve, 84 MS	TR 570	16 mm	4 - 6 Nm	V3-21-4
5635030	Metal valve, 89 MS	TR 571	16 mm	4 - 6 Nm	V3-21-5
156262	Metal valve, 90 MS	TR 572	16 mm	4 - 6 Nm	V3-21-6
5635054	Metal valve, 114 MS	TR 573	16 mm	4 - 6 Nm	V3-21-7
5635057	Metal valve, 132 MS	TR 574	16 mm	4 - 6 Nm	V3-21-8
5635022	Metal valve, 90° bend	TR 570	16 mm	4 - 6 Nm	V3-21-9

Metal valves, Truck for European style wheel



156143



156278



5709992



257160



5709997

Ref. No.	Description	Rim hole	Installation torque	ETRTO No.	Bending angle.
156143	Metal valve, V-0-09-3 Scania HALTEC	16 mm	9 - 14 Nm	V-0-09-3	174°
156278	Metal valve, V-8802	16 mm	9 - 14 Nm		0°
5709992	Metal valve, V-8834	16 mm	9 - 14 Nm	V-3-13-1	153°
257160	Metal valve, 1161/TACA8 TT8844B	16 mm	9 - 14 Nm	V-3-14-3	147° double bend
5709997	Metal valve, TT8844B	16 mm	9 - 14 Nm	V-3-14-3	147° double bend

VALVES AND VALVE ACCESSORIES

Tubeless Valves

Metal valves, Truck for European style wheels - continued



5626939



170120



5709995

Ref. No.	Description	Rim hole	Installation torque	ETRTO No.	Bending angle.
5626939	Metal valve, V-8984	16 mm	9 - 14 Nm	V-3-17-2	172°
170120	Metal valve, V-8717	16 mm	9 - 14 Nm		0°
5709995	Metal valve, V-8845A	16 mm	9 - 14 Nm	V-3-14-2	147°

Snap-in valves for air/water filling

Ref. No.	Description	Rim hole	Length
156040	Snap-in valve	16 mm	56 mm



Metal valves for air/water filling



5623080



5623082



5623114, 5623097



5623107



5623042



5623066

Ref. No.	Description	TR No.	Rim hole	Length	ETRTO No.	Bending angle
5623080	Metal valve	TR 618 A	16 mm	50 mm	V5-01-1	0°
5623082	Metal valve, Haltec	TR 618 A	16 mm	50 mm	V5-01-1	0°
5623114	Metal valve	TR 623 A	16 mm	57 mm	V5-02-3	65°
5623097	Metal valve	TR 621 A	16 mm	75 mm	V5-02-1	65°
5623107	Metal valve	TR 622 A	16 mm	115 mm	V5-02-2	90°
	Accessories:					
5623066	Core housing, V594					
5623042	Core housing, V595					

VALVES AND VALVE ACCESSORIES Earthmover Valving (LB / SLB)


Water filling and draining fittings



103917



103919



5623138

Ref. No.	Description
103917	Water filler (front) N1091
103919	Water filler (rear) 2346
5623138	Water filler V599
156032	Rim nut, V-175, 19 mm
156249	Rim hole plug, V-720

Earthmover Valving (LB / SLB)

Earthmover valves, straight



Ref. No.	Description	Type
5629709	Valve EM	TR J670
5629711	Valve EM HALTEC	H-42



5629709

Earthmover valves, turret type



Ref. No.	Description	Type
156420	Valve EM	J690 V-944-119 Turret
156424	Valve EM	EXJ-690B Turret
156425	Valve EM	EXJ-690B/1 Turret
156426	Valve EM	EXJ-691 Turret
156427	Valve EM	EXJ-691/2 Short Turret
5629641	Valve EM HALTEC	WH-330-J-691B Turret



156420



156426

VALVES AND VALVE ACCESSORIES Earthmover Valving (LB / SLB)

Earthmover valves, swivel stem



5629637



156355



156397

Ref. No.	Description	ETRT0 No.	Length	Bending angle
5629637	Valve EM	V-960 J650	3 1/8 "	80°
5629644	Valve EM	V-962 J651	5 "	90°
5629747	Valve EM	V-930-64	2.5 "	90°
156335	Valve EM	EXJ-4003	3 "	90°
156345	Valve EM	EXJ-4004	4 "	90°
156350	Valve EM	EXJ-4004 1/2	4.5 "	90°
156355	Valve EM	V-930-127	5 "	90°
156370	Valve EM	V-930-153	6 "	90°
156390	Valve EM	V-930-200	8 "	90°
156384	Valve EM	EXJ-4008 3/4	8 3/4 "	90°
156388	Valve EM	EXJ-4010	10 "	90°
156397	Valve EM	EXJ-4018	18 "	90°
156308	Valve EM	V-930-500	19.5 "	90°
156399	Valve EM	EXJ-4022	22 "	90°
156401	Valve EM	EXJ-4024	24 "	90°
156402	Valve EM	EXJ-4025 1/2	25.5 "	90°
156400	Valve EM	WH-45-34 HALTEC	34 "	90°

VALVES AND VALVE ACCESSORIES

Earthmover Valving (LB / SLB)

Earthmover valves, swivel stem - continued



156341



5629638
5629640



156352



156357



156372



5629761



103050




156343

Ref. No.	Description	ETRTO No.	Length	Bending angle
156341	Valve EM	EXJ-52-2	2 "	25°
5629638	Valve EM	EXJ-650	3 1/8 "	80°
5629640	Valve EM HALTEC	WH-300-J650	3 1/8 "	80°
5629749	Valve EM HALTEC	WH-300-J653	2.5 "	80°
5629660	Valve EM HALTEC	WH-49-J654	3 1/8 "	60°
156352	Valve EM HALTEC	WH-45-4 1/2	4.5 "	90°
156357	Valve EM HALTEC	WH-45-5	5 "	90°
156372	Valve EM HALTEC	WH-45-6	6 "	90°
5629761	Valve EM	V-930-191	7.5 "	90°
156392	Valve EM HALTEC	WH-45-8	8 "	90°
103050	Valve EM	EXJ-654	3 1/8 "	60°
103042	Valve EM	EXJ-4028	28 "	90°
103046	Valve EM HALTEC	WH-58-2 1/2	2.5 "	60°
103047	Valve EM	EXJ-54-20	20 "	90°
103053	Valve EM	EXJ-4036	36 "	90°
156343	Valve EM HALTEC	WH-55-2 1/2	2.5 "	90°

VALVES AND VALVE ACCESSORIES

Earthmover Valving (LB / SLB)

Earthmover valves, swivel stem, multi-bend



103043



103044



103045

Ref. No.	Description	Type
103043	Valve EM HALTEC	WHG-0570VC
103044	Valve EM HALTEC	WHG-8018VC
103045	Valve EM HALTEC	WHG-8019VC

3

Earthmover valve accessories



103062



5629698



5629699



103256

Ref. No.	Description	Type
103062	Valve EM Screw in Spud	EXC-10
5629698	Valve EM Spud HALTEC	H-41
5629699	Valve EM Spud	V-909, Tasmania
103256	Valve EM Loader HALTEC	T-670

VALVES AND VALVE ACCESSORIES Earthmover Valving (LB / SLB)

Super large bore valve assemblies




103080



103295

Ref. No.	Description	Type
103080	Valve SLB	M-1000 Valve Assembly
103295	Valve SLB	MR-800-8 Swivel Stem
103296	Valve SLB	EXMR-8009.25 Swivel Stem
103085	Valve SLB	EX-7890 (CAT 789)

Super large bore valve accessories



103257



103253



103255



103267




103249

Ref. No.	Description	Type
103257	Valve SLB	R-525-90 Swivel Connector
103253	Valve SLB HALTEC	R-660-60 Swivel Connector
103255	Valve SLB HALTEC	T-81 Spud
103267	Valve SLB HALTEC	T-82 Spud
103249	Valve SLB HALTEC	C-100 Screw-in Spud


NOTE: More valve products in earthmover categories are available upon request.

VALVES AND VALVE ACCESSORIES Earthmover Valving (LB / SLB)

Super large bore valve accessories - continued



103271



103273



103259



103262



103268



103252



103263



103254



103258



103510

Ref. No.	Description	Type
103271	Valve SLB HALTEC	R-675-75 Swivel Connector
103273	Valve SLB HALTEC	R-685-85 Swivel Connector
103259	Valve SLB HALTEC	R-762S Tube Connector
103262	Valve SLB HALTEC	R-763 Tube Connector
103266	Valve SLB HALTEC	R-969K Extension Kit
103268	Valve SLB HALTEC	S-85 Angle Spud
103252	Valve SLB	EXB-222 Lock Nut
103263	Valve SLB HALTEC	R-764R Sleeve
103254	Valve SLB HALTEC	EXR-520 Core Housing
103258	Valve SLB HALTEC	EXR-760 Tubing
103510	Valve SLB HALTEC	IN80A Inflator

NOTE: More valve products in earthmover categories are available upon request.

VALVES AND VALVE ACCESSORIES

Tank Valves & Valve Cores

Tank Valves



157140



157141



157145



102116

Ref. No.	Description	Type
157140	Tank valve, V6212	1/8" NPTF
157141	Tank valve, V6242A	1/8" BSP
157145	Tank valve	1/4" BSP
102116	Tank valve EM H-47 HALTEC	1/4" NPT

Valve Cores



5620007



5620050



5620047



5620083

Ref. No.	Description	Type
5620007	Valve core, long, V-420	C1
5620045	Valve core, short, V-430	C1
5620047	Valve core, extra short, N-80	C1
5620050	Valve core, high temperature, VI-AH	C1
5620083	Valve core, EM short, V-450	C2

VALVES AND VALVE ACCESSORIES

Valve Extensions and Holders

Valve extensions, rigid

Ref. No.	Description	Bending angle
5624292	Valve extension V-2612	90°



5624292

Valve extension caps, plastic

Ref. No.	Description	Length
5624515	Valve extension cap	32 mm



5624515

Valve extension caps, metal

Ref. No.	Description	Length
5624319	Valve extension cap	19 mm
5624326	Valve extension cap	32 mm



5624319

5624326

Valve extensions, plastic

Ref. No.	Description	Length
5624560	Valve extension EURO	115 mm
5624577	Valve extension EURO	150 mm
5624584	Valve extension EURO	170 mm
156771	Valve Extension	115 mm
156772	Valve Extension	150 mm
156773	Valve Extension	170 mm



5624560, 5624577,
5624584, 156771,
156772, 156773

Valve extensions, metal

Ref. No.	Description	Length
5624010	Valve extension	32 mm (effective), 40 mm
5624027	Valve extension	50 mm (effective), 60 mm
5624072	Valve extension	64 mm (effective), 80 mm
5624034	Valve extension	76 mm (effective), 84 mm
5624096	Valve extension	100 mm (effective), 125 mm
5624041	Valve extension	130 mm (effective), 142 mm
5624293	Valve extension 180° • Suits mobile homes and light trucks • For the outside dual wheel	64 mm (effective), 80 mm



5624010, 5624034,
5624027, 5624096,
5624072 5624041



5624293

VALVES AND VALVE ACCESSORIES


Valve Extensions and Holders

Truck valve extensions - AIR-FLEXX



- The most effective valve extension on the market
- Pressureless, flexible, unbreakable

- Can be used without wheel
- Valve cap not included



Ref. No.	Description	Length
5624586	Valve extension AIR FLEXX	105 mm
5624587	Valve extension AIR FLEXX	145 mm
5624588	Valve extension AIR FLEXX	185 mm
5624589	Valve extension AIR FLEXX	315 mm

Truck valve extensions, flexible rubber



- Fits wire loop clip

Ref. No.	Description	Type	Length	Nut
156636	Valve extension	V-636A	210 mm	round
5624444	Valve extension	V-637A	240 mm	round



Truck valve extensions, flexible steel braided



- Fits solid clamp

Ref. No.	Description	Type	Length	Nut
5624412	Valve extension	V-621A	150 mm	hex
5624436	Valve extension	V-623A	200 mm	hex
5624443	Valve extension	V-624A	250 mm	hex
5624454	Valve extension	V-625A	300 mm	hex



- Fits wire loop clip

Ref. No.	Description	Type	Length	Nut
156634	Valve extension	V-636AD	140 mm	round
5624261	Valve extension	V-635AD	180 mm	round
5624452	Valve extension	V-638AD	300 mm	round
5624455	Valve extension	V-640AD	400 mm	round



VALVES AND VALVE ACCESSORIES

Valve Extensions and Holders

Earthmover valve extensions, metal



Ref. No.	Description	Type	Length
156645	Valve Extension EM HALTEC	EX 2002	2"
156650	Valve Extension EM HALTEC	EX 2003	3"
156670	Valve Extension EM	EX 2004	4"
156675	Valve Extension EM	EX 2006	6"
156690	Valve Extension EM	EX 2008	8"
156700	Valve Extension EM	EX 2012	12"
156730	Valve Extension EM	EX 2016	16"
156750	Valve Extension EM	EX 2019	19"
156760	Valve Extension EM	EX 2022	22"



156670

156675

Earthmover valve extensions, flexible rubber



Ref. No.	Description	Type	Length
103072	Valve Extension EM HALTEC	V-1620-450	450 mm
103076	Valve Extension EM	V-1620-355	355 mm
103077	Valve Extension EM	EX-6015	380 mm



103076

Accessories:

103441	Valve Extension EM KIT	EX-6000K	
103091	Valve Extension EM HALTEC	SPE-1700-4	
103092	Valve Extension EM HALTEC	SP 464 Lock Nut	
103093	Valve Extension EM HALTEC	SPE-1700-6	
103094	Valve Extension EM HALTEC	SP 463 Jam Nut	
103095	Valve Extension EM HALTEC	SPE-1700-5	
103096	Valve Extension EM HALTEC	Hose 10 003	



156227

VALVE EXTENSION HOLDER – SOLID CLAMP



Ref. No.	Description	Type	Length
156227	Valve extension holder	V-621-5	Rim edge
156223	Valve extension holder	V-660-2	Stud, under nut
156159	Valve stem stabiliser (light truck)		



156223



156159

VALVES AND VALVE ACCESSORIES

Valve Extensions and Holders & Valve Caps

Valve extension holders, clip in wire loop



156222



156225



156228

Ref. No.	Description	Type	Type
156222	Valve extension holder	V-633-5	Single
156225	Valve extension holder	V-631-5	Single
156228	Valve extension holder	V-632-5	Double

Valve Caps

Valve caps, plastic



5620296
5620298



160220



160221

Ref. No.	Description	Colour	TR No.	Contents
5620296	Valve cap	black	VC 3	100
160220	Valve cap	red	VC 3	100
160221	Valve cap	green	VC 3	100
5620298	Valve cap, with seal	black	VC 3	100

VALVES AND VALVE ACCESSORIES

Valve Extensions and Holders

Chrome sleeves and caps



413CSC



413CSS



160210



160215



160218

Ref. No.	Description	Colour	TR No.	Contents
413CSC	Chrome sleeve curved	chrome	TR 413	100
413CSS	Chrome sleeve straight	chrome	TR 413	100
160210	Chrome cap dome hex	chrome		100
160215	Chrome cap flat hex	chrome		100
160218	Chrome cap with seal • Used to indicate the use of nitrogen	chrome/green		100

3

Valve caps, metal



5620155



160219



5620100

Ref. No.	Description	TR No.	Colour	Contents			
5620155	Valve cap, V-52 Dome Metal	VC 3		100	•		•
160219	Valve cap, aluminium • Used to indicate the use of nitrogen		green	100	•		•
5620100	Valve cap, screwdriver top	VC 2					•

VALVES AND VALVE ACCESSORIES

Valve Extensions and Holders

Valve caps, metal - continued



156220



5620368



156026



156027



5620124

Ref. No.	Description	TR No.	Colour	Contents			
5620124	Valve cap, screwdriver top	VC-6					▪
156220	Adaptor, V-655 • Internal adaptor						
5620368	Adaptor, V-656 • Internal adaptor	AD 2					▪
156026	Valve cap EM V-67 hex	VC-7					▪
156027	Valve cap, A-149 hex	VC-7					▪

Valve caps, infiltrate thru



156210



156215



156216

Ref. No.	Description	TR No.	Colour	Contents			
156210	Valve cap V2B Inflate - Thru, double seal • Does not need to be removed to check pressure						▪
156215	Valve cap DS-1 Inflate-thru						▪
156216	Valve cap DS-1 Inflate-thru plastic						▪

VALVES AND VALVE ACCESSORIES

Valve Tools

Valve core screwdriver



Ref. No.	Description
156230	Valve core screwdriver V-673 standard, VG5 • Plastic grip, nickel-plated metal parts
156231	Valve core screwdriver EX-1017 EM, VG8 • Plastic grip, long shaft with locking tip
156232	Valve core screwdriver V-673B standard/EM, VG5/VG8 double ended • Plastic grip, nickel-plated metal parts
156239	Valve Cap and Core remover • 100 mm long • "Valve capper"
170255	Valve core screwdriver V-673-75, standard VG5 • Plastic grip, nickel-plated metal • 75 mm extended shaft
170260	Valve core screwdriver EX-1019 EM, VG8 • Plastic grip, nickel-plated metal parts, long shaft
170299	Valve Core Screwdriver • Plastic grip • 100 mm extended shaft
170403	Valve Core Screwdriver • Plastic grip • 150 mm extended shaft
170503	Valve core screwdriver 3-104B standard, VG5 • Plastic grip, hardened tip • Extended shaft 75 mm long
5628119	Valve core screwdriver standard/EM, VG5/VG8 • Plastic grip, burnished metal parts, with sockets for valve cores/caps

VALVES AND VALVE ACCESSORIES

Valve Tools

Valve core screwdriver "LOCK TOOL"

- The valve core is held by a spring clip when fitting or unscrewing

Ref. No.	Description
5628377	Lock Tool flexible, standard VG5
5628384	Lock Tool EM VG8



5628377

5628384

Valve core screwdriver with torque limiter

Ref. No.	Description	Colour	Length	Torque
170504	VALVE PROOF, Metal valves	black	120 mm	0.45 Nm



170504

170508

Valve core and cap removers

Ref. No.	Description
170508	Valve core & cap remover, VG5/standard metal cap • Metal parts nickel-plated. Rubber shaft to align tip
170507	Valve cap remover, standard, metal cap • Metal parts nickel-plated. Long shaft
103276	Valve cap remover, EM Hex cap • Metal parts nickel-plated. Long shaft



170507

103276

Valve mounting tools

Ref. No.	Description	Hex size
5628305	Valve mounting tool • Plastic no mark shaft	
5628309	Valve mounting tool • Straight metal shaft	
5628308	Valve mounting tool • Cranked metal shaft with rubber protective coating	
156520	Valve ratchet, 570 series • For fast installation of clamp in valve stems	9/16
156522	Valve ratchet, 540 series • For fast installation of clamp in valve stems	5/8



5628305

5628309



5628308

156520

VALVES AND VALVE ACCESSORIES

Valve Tools

Valve repair tools




- To remove valve cores
- Easy out to remove damaged valve cores
- Thread cutter for the repair of damaged threads

Ref. No.	Description
5628061	Valve repair tool, 4-piece <ul style="list-style-type: none"> • EM valve core mounting/removal tool VG5 • External thread VG12 • Internal thread VG5 • External thread VG8
156236	Valve repair tool, 4 way V-676A <ul style="list-style-type: none"> • Core removal tool VG5 • Easy out to remove damaged cores VG5 • Internal thread VG5 • External thread VG8
170509	Valve repair tool, 4 way W-205 <ul style="list-style-type: none"> • Core removal tool VG5 • Easy out to remove damaged cores VG5 • Internal thread VG5 • External thread VG8
102111	Valve repair tool, 4 way EX-1525 <ul style="list-style-type: none"> • Repairs tractor and EM valves • Core removal tool VG8 • Internal thread cutter VG8 (EM core) • Internal thread cutter VG10 (tractor core housing) • External thread cutter VG12
103264	SLB T-620 assembly tool Haltec



5628061

156236



170509

102111



103264

Valve fishing tools



- Designed to assist valve hole location when fitting tubes

Ref. No.	Description
5628315	Valve fishing tool
5628318	Valve fishing tool Alligator
5628320	Valve fishing tool long



5628315

5628318

5628320

VALVES AND VALVE ACCESSORIES

TPMS Valves

TPMS Tool Kit

Ref. No.	Description
106310	<p>TPMS Tool Kit</p> <p>Includes:</p> <ul style="list-style-type: none"> • Calibrated torque tool • 3 torx tips (with socket) • 3 hex sockets (7 & 11 & 12 mm) • T6 torx screwdriver • Torqued valve tool • Grommet slide • 3 pins



106310

TPMS Diagnostic Kit

Ref. No.	Description	Includes:
5623970	<p>The ATEQ VT56 OBDII</p> <p>The first TPMS Diagnostic Tool licenced for the Australian market.</p> <p>Training and Support provided.</p>	<ul style="list-style-type: none"> • ATEQ VT56 Diagnostic Tool • ATEQ VT56 OBDII Interface Module • ATEQ VT56 Charger • ATEQ VT56 Ethernet Cable • ATEQVT56 Hardened Carry Case
5624110	<p>TPMS TS608 Scan Tool</p> <p>Includes:</p> <ul style="list-style-type: none"> • Maxi TPMS TS608 provides you with superior experience in TPMS health check, sensor programming, TPMS relearn, all system diagnostics as well as Special service functions. Equipped with a 7-inch Touch screen with 1024 Read / Test / Clear DRCs All Modules / All Systems • Powertrain, Body, Chassis, Communication • Auto SCAN All Major Systems • Auto VIN for Quick DTC Definitions • Live Data to Test Individual Systems • Supports All 10 OBDII Test Modes • Freeze Frame, Enhanced Mode 6, I/M Readiness • Vehicle Information & Component Test • Graph / Record / Playback Freeze Frame Data 	



5623970



5624110

VALVES AND VALVE ACCESSORIES
TPMS Valves

TPMS Sensors

TPMS VT56 12 Month DataUpdate

Ref. No.	Description
5623974	<ul style="list-style-type: none"> • A 12 month subscription update for ATEQ branded VT56 tools. • Please note our subscription updates are not compatible with alternate branded VT56 tools. • Keep up to date with the latest vehicle releases and product enhancements.



5623974

TPMS Valve Assortment Kit

Ref. No.	Description
106340	<p>TPMS Valve Assortment Kit</p> <p>Includes:</p> <ul style="list-style-type: none"> • Snap-In Valves: 5623490 (6), 5623470 (6), 5623493 (2), 5623480 (2), 5623485 (4), 5623496 (4) • Clamp-In Valves: 9250423 (4), 9250220 (2), 9250221 (2), 9250222 (2), 9250223 (2), 9250228 (2). • Service Kits: 9251101 (8), 9250120 (4), 9250155 (4). • Valve Accessories: 9252104 (20).



106340



5623972



5623976

Ref. No.	Description
5623972	<p>TPMS VT56 Docking Station & Printer</p> <ul style="list-style-type: none"> • This Docking Station and Printer are for use with the VT56 Diagnostic Tool, further expanding its usability. • The rugged Docking Station is designed to be mounted to the wall, to allow for the easy storage and charging of the VT56 unit between jobs and overnight. The Docking Station also has a cradle for the infra-red printer, to easily print the sensor data directly from the VT56 unit.
5623976	<p>TPMS Tread Depth Gauge</p> <ul style="list-style-type: none"> • The ATEQ Tread Depth Gauge allows you to capture the inner, centre and outer tread depth for each tyre, and to store this information either alone or in conjunction with the TPMS data. • Provide a value added service with a printed TPMS and tyre condition report.

3

VALVES AND VALVE ACCESSORIES

TPMS Valves

TPMS Snap-In Valves

- Whenever changing a tyre fitted with a TPMS sensor and a snap-in rubber valve, the rubber valve must always be replaced, no different to non-TPMS valves.
- The valve needs to be attached to the sensor with a screw at a set torque.
- Correct torque is vital to the installation of the sensor, Always the correct torque tool.

- Please note that thread is not pre-cut into the valve shaft, there is only a starting groove. This allows the screw to cut the thread into the shaft at installation ensuring that no movement occurs later.
- Make sure to visually compare the new valve with the one removed to ensure it fits to the sensor. Always use the correct torque tool.



5623470



5623480



5623485



5623490



5623493



5623496



5623492



5623498

Ref. No.	Manufacturer Part No.	Description	Foot Shape	Sensor Brand	Vehicle	Torque
5623470	6-207A	TPMS Snap-In Valve (TR 413) Long parallel flat sides at foot.		Schrader	USA assembled Ford, GM, Dodge, Chrysler & Infiniti, Lexus, Toyota.	1.4 Nm
5623480	6-209	TPMS Snap-In Valve (TR 413) Thread at foot.		DUT / UP / EUPRO	Hyundai Santa-Fe & Some Asian cars.	1.4 Nm
5623485	6-210H	TPMS Snap-In Valve (TR 414) 90° angle flat sides at foot.		European	Ford, Subaru, Smart, Mercedes Vans, Most late model French Cars.	1.4 Nm
5623490	6-207	TPMS Snap-In Valve (TR 413) Short parallel flat sides at foot.		Schrader	Ford (2010-14 Focus & Mustang), Chrysler 300, Jeep.	1.4 Nm
5623493	6-208	TPMS Snap-In Valve (TR 413) "Key like" foot, no screw.		VDO / Mopar	Some late model French cars (2015 Megane, 2014/15 4008), Jeep Renegade 2014/15.	NA
5623496	6-211	TPMS Snap-In Valve (TR 413) Square foot.		Schrader	Jeep Cherokee (2014-current)	1.4 Nm
5623492	6-210	TPMS Snap-In Valve (TR 413) 90° angle flat sides at foot.		Schrader	Current Ford models (Passenger Cars)	1.4 Nm
5623498	PAC-V058	TPMS Snap-In Valve (TR 413) "Key like" foot, with clip.		Pacific	Japanese assembled vehicles	N/A

VALVES AND VALVE ACCESSORIES

TPMS Valves

TPMS Valve Kits



Ref. No.	Description
9250120	TPMS Valve Service Kit
9250220	TPMS Clamp-In Valve, silver base 6-220
9250228	TPMS Clamp-In Valve 6-228
9250423	TPMS Clamp-In Valve, as replacement for Schrader style snap-in valve 6-216

TPMS Valve Accessories



160158



9252104

Ref. No.	Description
160158	TPMS Plastic Sealing Cap
9252104	TPMS Indicator Valve Cap