

BELT CLEANING SYSTEMS
REMACLEAN AU - H SERIES

REMACLEAN AU - H SERIES PRIMARY

REMA TIP TOP offer a full range of H SERIES primary and H SERIES retractable belt cleaners universally used as a primary cleaner across all light to heavy duty material processing applications. The H SERIES belt cleaner is a proven and reliable primary belt cleaner. Our market leading H SERIES retractable belt cleaning systems are ergonomically designed to reduce manual handling and belt cleaner servicing. This leads to improved safety, increased conveyor availability and reduced cleanup costs.

Area of application

- Universally applicable as a pre cleaner or main cleaner for many types of materials such as Sand, Gravel, Coal, Ignites, Ores, Sinter, Cement, and in the chemical industry.
- The Retractable Pole option provides increased safety and reduced maintenance benefits and is especially suitable where space is limited.



H SERIES Primary Belt Cleaner



H SERIES Primary Belt Cleaner

REMACLEAN H SERIES - Standard

Properties

- 304 Stainless Steel as standard
- High cleaning efficiency through ideal adaptation of the Tungsten blades to the belt surface
- Long service life through the use of highly wear-resistant Tungsten Tips and cast stainless steel components
- Easy installation and maintenance
- Interchangeable with most standard H SERIES belt cleaner assemblies.
- Australian Manufactured from local and imported components.
- Custom made option to suit non standard installations and customer specific requirements

REMACLEAN H SERIES - Retractable

Properties

- In addition to the standard H SERIES:
- Safest Belt Cleaner to maintain on the market
 - Faster and easier maintenance
 - Custom made option to suit non standard installations and customer specific requirements



H SERIES Primary Belt Cleaner



Primary Cleaner Spring Tension Unit

BELT CLEANING SYSTEMS
REMACLEAN AU - H SERIES




Cushion options

- Standard H SERIES Cushion (70 duro)*
- *RTT standard Cushion is equivalent to Heavy Duty Hih speed cushion.



Arm options

- Standard H SERIES Suspension Arm
- Poly mono arm (available in SS, S, M, L & LL sizes)
- *RTT Standard suspension arm is equivalent to Heavy Duty



Tip options

- Standard S/S tungsten tip
- Heavy-duty S/S tungsten tip
- Double sided S/S T tungsten tip
- Heavy Duty Extra Life 20mm tungsten tip
- Heavy Duty Extra Life 25mm tungsten tip



Pole options

- Standard H SERIES Pole
- Reinforced H SERIES Pole
- Extra Heavy Duty H SERIES Pole
- PERFORMANCE Extra Heavy Duty H SERIES Pole



Mounting/Tension options

- Standard Screw mounting
- Spring tension mounting
- Compression spring mounting
- Pnumatic tension mounting
- Hydraulic tension mounting



Retractable pole options

- Standard rail
- Split rail
- Segmented rails

H SERIES Tips

Ref. No.	Designation
5873243	H SERIES Protector T Tungsten Tip
5873241	H-SERIES Tungsten Tip 10mm
5873242	H-SERIES Tungsten Tip HD 15mm
5957122	H-SERIES Tungsten Tip HD extra Life 20mm
5957123	H-SERIES Tungsten Tip HD extra Life 25mm

H SERIES Cushions

Ref. No.	Designation
587 3240	H SERIES Protector T Tungsten Tip


H SERIES Arms

Ref. No.	Designation	Suits pulley diameter
5873254	H-SERIES Suspension Arm SS	250-499 mm
5873255	H-SERIES Suspension Arm S	500-799 mm
5873256	H-SERIES Suspension Arm M	900-999 mm
5873257	H-SERIES Suspension Arm L	1000-1199 mm
5873258	H-SERIES Suspension Arm LL	1200-1700 mm

BELT CLEANING SYSTEMS
REMACLEAN AU - H SERIES - Polyurethane Mono Arm Cleaner

REMACLEAN AU - H SERIES - Polyurethane Mono Arm Cleaner

REMA TIP TOP offer a full range of H SERIES primary and H SERIES retractable belt cleaners universally used as a primary cleaner across all light to heavy duty material processing applications. The H SERIES belt cleaner is a proven and reliable primary belt cleaner. Our market leading H SERIES retractable belt cleaning systems are ergonomically designed to reduce manual handling and belt cleaner servicing. This leads to improved safety, increased conveyor availability and reduced cleanup costs.



REMACLEAN AU - H SERIES - Polyurethane Mono Arm Cleaner

Area of application

- Universally applicable as a pre cleaner or main cleaner for many types of materials such as Sand, Gravel, Coal, Ignites, Ores, Sinter, Cement, and in the chemical industry.
- The Retractable Pole option provides increased safety and reduced maintenance benefits and is especially suitable where space is limited.

REMACLEAN H SERIES - Standard REMACLEAN H SERIES - Retractable

Properties

- 304 Stainless Steel as standard
- High cleaning efficiency through ideal adaptation of the Tungsten blades to the belt surface
- Long service life through the use of highly wear-resistant Tungsten Tips and cast stainless steel components
- Easy installation and maintenance
- Interchangeable with most standard H SERIES belt cleaner assemblies.
- Australian Manufactured from local and imported components.
- Custom made option to suit non standard installations and customer specific requirements

Properties

- In addition to the standard H SERIES:
- Safest Belt Cleaner to maintain on the market
 - Faster and easier maintenance
 - Custom made option to suit non standard installations and customer specific requirements

BELT CLEANING SYSTEMS
REMACLEAN AU - H SERIES - Polyurethane Mono Arm Cleaner



Cushion options

- Standard H SERIES Cushion (70 duro)*
- *RTT standard Cushion is equivalent to Heavy Duty High speed cushion.



Arm options

- Standard H SERIES Suspension Arm
- Poly mono arm (available in SS, S, M, L & LL sizes)
- *RTT Standard suspension arm is equivalent to Heavy Duty



Pole options

- Standard H SERIES Pole
- Reinforced H SERIES Pole
- Extra Heavy Duty H SERIES Pole
- PERFORMANCE Extra Heavy Duty H SERIES Pole



Mounting/Tension options

- Standard Screw mounting
- Spring tension mounting
- Compression spring mounting
- Pneumatic tension mounting
- Hydraulic tension mounting



Retractable pole options

- Standard rail
- Split rail
- Segmented rails

H SERIES Polyurethane Mono Arm Primary Spares

Ref. No.	Designation	Suits pulley diameter
587 3246	Mono Arm SS	250-499 mm
587 3247	Mono Arm S	500-799 mm
587 3248	Mono Arm M	900-999 mm
587 3249	Mono Arm L	1200-1700 mm

BELT CLEANING SYSTEMS
REMACLEAN AU - P SERIES

REMACLEAN AU - P SERIES

REMA TIP TOP offer a full range of P SERIES Secondary and P SERIES retractable belt cleaners universally used as a secondary cleaner across all light to heavy duty material processing applications. The P SERIES belt cleaner is a proven and reliable secondary belt cleaner. Our market leading P SERIES retractable belt cleaning systems are ergonomically designed to reduce manual handling and belt cleaner servicing. This leads to improved safety, increased conveyor availability and reduced cleanup costs. Our retractable cleaning systems are made with safety, functionality and quality in mind giving our customers value for money whilst tailoring solutions that are cost effective and safer for their workforce.

Area of application

- Universally applicable as secondary cleaner or tertiary cleaner for many types of materials such as Sand, Gravel, Coal, Ignites, Ores, Sinter, Cement, and in the chemical industry.
- The Retractable Pole option provides increased safety and reduced maintenance benefits and is especially suitable where space is limited.



REMACLEAN AU Standard
P SERIES Belt Cleaner

REMACLEAN P SERIES - Standard

Properties

- 304 Stainless Steel as standard
- High cleaning efficiency through ideal adaptation of the Tungsten blades to the belt surface
- Long service life through the use of highly wear-resistant Tungsten Tips and cast stainless steel components
- Easy installation and maintenance
- Interchangeable with most standard P SERIES belt cleaner assemblies.
- Australian Manufactured from local and imported components.
- Custom made option to suit non standard installations and customer specific requirement
- Built in spray bar options available


REMACLEAN P SERIES - Retractable

Properties

- In addition to the standard P SERIES:
- Safest Belt Cleaner to maintain on the market
 - Faster and easier maintenance
 - Custom made option to suit non standard installations and customer specific requirements
 - No requirement to remove the cleaner pole completely
 - Split rail options allow for easy removal from limited space areas
 - Eliminates the risk of dropping scraper pole during removal or installation

Complete Belt Cleaner and Custom Builds available. part numbers and pricing quoted upon request.

BELT CLEANING SYSTEMS
REMACLEAN AU - P SERIES




Pole options

- Standard P SERIES Pole
- Standard P SERIES with water spray
- Reinforced P SERIES Pole
- Extra Heavy Duty P SERIES Pole



Mounting/Tension options

- Standard P SERIES mounting
- Spring tensio




Rail options

- Standard rail
- Split rail
- Segmented rail



Cushion options

- Standard P SERIES Cushion (55 duro)
- P SERIES Cushion Heavy Duty High Speed 70 Dur



Tip options

- Standard S/S tungsten tip 10mm
- Heavy-duty S/S tungsten tip 15mm
- Heavy Duty Extra Life 20mm tungsten tip
- Heavy Duty Extra Life 25mm tungsten ti

REMACLEAN AU - P SERIES - Primary Spares

Ref. No.	Designation	Dimensions
587 3418	P SERIES Tungsten Tip Standard 10mm	150mm x 10mm x 5mm
587 3419	P SERIES Tungsten Tip Heavy Duty 15mm	150mm x 15mm x 5mm
595 7124	P SERIES Tungsten Tip Extra Heavy Duty 20mm	150mm x 20mm x 3mm
595 7125	P SERIES Tungsten Tip Extra Heavy Duty 25mm	150mm x 25mm x 3mm
587 3416	P SERIES Cushion Standard 55 Duro	140mm x 100mm x 43mm
587 3417	P SERIES cushion Heavy Duty High Speed 70 Duro	140mm x 100mm x 43mm
587 3631	Secondary Bolt Tension Kit 60 Diameter Poles	
587 3632	Secondary Bolt Tension Kit 73 Diameter Poles	
530 5084	Secondary Spring Tension Kit 60 Diameter Poles	
587 4739	Secondary Spring Tension Kit 73 Diameter Poles	

BELT CLEANING SYSTEMS
REMACLEAN AU - U SERIES

REMACLEAN AU - U SERIES

REMA TIP TOP offer a full range of U SERIES Secondary and U SERIES retractable belt cleaners universally used as a secondary cleaner across all light to heavy duty material processing applications. The U SERIES belt cleaner is a proven and reliable secondary belt cleaner. Our market leading U SERIES retractable belt cleaning systems are ergonomically designed to reduce manual handling and belt cleaner servicing. This leads to improved safety, increased conveyor availability and reduced cleanup costs. Our retractable cleaning systems are made with safety, functionality and quality in mind giving our customers value for money whilst tailoring solutions that are cost effective and safer for their workforce.



Properties

- Easy installation and maintenance
- Long service life through the use of highly wear-resistant Tungsten and cast stainless steel components
- Interchangeable with most U SERIES belt cleaner assemblies
- Australian Manufactured from local and imported components
- 304 stainless steel construction
- Available with spring tension
- Exceptional bonding - rubber to steel tungsten insert
- Tungsten induction brazed not glued
- Complete Units available to suit belt widths from 600mm to 3000mm
- Custom manufactured to suit belt widths 3200mm and above
- Complete polyurethane units and custom blends available upon request

Area of application

- Universally applicable as a secondary cleaner or tertiary cleaner for many types of materials such as sand, gravel, coal, lignites, ores, sinter, cement, and in the chemical industry.



U SERIES Poly Blade



U SERIES Tungsten Blade

BELT CLEANING SYSTEMS
REMACLEAN AU - U SERIES

REMACLEAN AU - U SERIES - Primary Spares

Ref. No.	Designation	Belt Width
5780841	U SERIES 600mm Tungsten Blade	600mm
5874731	U SERIES 750mm Tungsten Blade	750mm
5874732	U SERIES 900mm Tungsten Blade	900mm
5874710	U SERIES 1050mm Tungsten Blade	1050mm
5874719	U SERIES 1200mm Tungsten Blade	1200mm
5874720	U SERIES 1400mm Tungsten Blade	1400mm
5874733	U SERIES 1500mm Tungsten Blade	1500mm
5874734	U SERIES 1600mm Tungsten Blade	1600mm
5874735	U SERIES 1800mm Tungsten Blade	1800mm
5874736	U SERIES 2000mm Tungsten Blade	2000mm
5780853	U SERIES 2200mm Tungsten Blade	2200mm
5874729	U SERIES 2400mm Tungsten Blade	2400mm
5874730	U SERIES 3000mm Tungsten Blade	3000mm

